UNIT TERMINAL OBJECTIVE

5-6 At the completion of this unit, the paramedic student will be able to integrate pathophysiological principles and assessment findings to formulate a field impression and implement the treatment plan for the patient with a gastroenterologic problem.

COGNITIVE OBJECTIVE

At the conclusion of this unit, the paramedic student will be able to:

- 5-6.1 Describe the incidence, morbidity and mortality of gastrointestinal emergencies. (C-1)
- 5-6.2 Identify the risk factors most predisposing to gastrointestinal emergencies. (C-1)
- 5-6.3 Discuss the anatomy and physiology of the organs and structures related to gastrointestinal diseases. (C-1)
- 5-6.4 Discuss the pathophysiology of inflammation and its relationship to acute abdominal pain. (C-1)
- 5-6.5 Define somatic pain as it relates to gastroenterology. (C-1)
- 5-6.6 Define visceral pain as it relates to gastroenterology. (C-1)
- 5-6.7 Define referred pain as it relates to gastroenterology. (C-1)
- 5-6.8 Differentiate between hemorrhagic and non-hemorrhagic abdominal pain. (C-3)
- 5-6.9 Discuss the signs and symptoms of local inflammation relative to acute abdominal pain. (C-1)
- 5-6.10 Discuss the signs and symptoms of peritoneal inflammation relative to acute abdominal pain. (C-1)
- 5-6.11 List the signs and symptoms of general inflammation relative to acute abdominal pain. (C-1)
- 5-6.12 Based on assessment findings, differentiate between local, peritoneal and general inflammation as they relate to acute abdominal pain. (C-3)
- 5-6.13 Describe the questioning technique and specific questions the paramedic should ask when gathering a focused history in a patient with abdominal pain. (C-1)
- 5-6.14 Describe the technique for performing a comprehensive physical examination on a patient complaining of abdominal pain. (C-1)
- 5-6.15 Define upper gastrointestinal bleeding. (C-1)
- 5-6.16 Discuss the pathophysiology of upper gastrointestinal bleeding. (C-1)
- 5-6.17 Recognize the signs and symptoms related to upper gastrointestinal bleeding. (C-1)
- 5-6.18 Describe the management for upper gastrointestinal bleeding. (C-1)
- 5-6.19 Integrate pathophysiological principles and assessment findings to formulate a field impression and implement a treatment plan for the patient with upper GI bleeding. (C-3)
- 5-6.20 Define lower gastrointestinal bleeding. (C-1)
- 5-6.21 Discuss the pathophysiology of lower gastrointestinal bleeding. (C-1)
- 5-6.22 Recognize the signs and symptoms related to lower gastrointestinal bleeding. (C-1)
- 5-6.23 Describe the management for lower gastrointestinal bleeding. (C-1)
- 5-6.24 Integrate pathophysiological principles and assessment findings to formulate a field impression and implement a treatment plan for the patient with lower GI bleeding. (C-3)
- 5-6.25 Define acute gastroenteritis. (C-1)
- 5-6.26 Discuss the pathophysiology of acute gastroenteritis. (C-1)
- 5-6.27 Recognize the signs and symptoms related to acute gastroenteritis. (C-1)
- 5-6.28 Describe the management for acute gastroenteritis. (C-1)
- 5-6.29 Integrate pathophysiological principles and assessment findings to formulate a field impression and implement a treatment plan for the patient with acute gastroenteritis. (C-3)
- 5-6.30 Define colitis. (C-1)
- 5-6.31 Discuss the pathophysiology of colitis. (C-1)
- 5-6.32 Recognize the signs and symptoms related to colitis. (C-1)
- 5-6.33 Describe the management for colitis. (C-1)
- 5-6.34 Integrate pathophysiological principles and assessment findings to formulate a field impression and implement a treatment plan for the patient with colitis. (C-3)

United States Department of Transportation National Highway Traffic Safety Administration

- 5-6.35 Define gastroenteritis. (C-1)
- 5-6.36 Discuss the pathophysiology of gastroenteritis. (C-1)
- 5-6.37 Recognize the signs and symptoms related to gastroenteritis. (C-1)
- 5-6.38 Describe the management for gastroenteritis. (C-1)
- 5-6.39 Integrate pathophysiological principles and assessment findings to formulate a field impression and implement a treatment plan for the patient with gastroenteritis. (C-3)
- 5-6.40 Define diverticulitis. (C-1)
- 5-6.41 Discuss the pathophysiology of diverticulitis. (C-1)
- 5-6.42 Recognize the signs and symptoms related to diverticulitis. (C-1)
- 5-6.43 Describe the management for diverticulitis. (C-1)
- 5-6.44 Integrate pathophysiological principles and assessment findings to formulate a field impression and implement a treatment plan for the patient with diverticulitis. (C-3)
- 5-6.45 Define appendicitis. (C-1)
- 5-6.46 Discuss the pathophysiology of appendicitis. (C-1)
- 5-6.47 Recognize the signs and symptoms related to appendicitis. (C-1)
- 5-6.48 Describe the management for appendicitis. (C-1)
- 5-6.49 Integrate pathophysiological principles and assessment findings to formulate a field impression and implement a treatment plan for the patient with appendicitis. (C-3)
- 5-6.50 Define peptic ulcer disease. (C-1)
- 5-6.51 Discuss the pathophysiology of peptic ulcer disease. (C-1)
- 5-6.52 Recognize the signs and symptoms related to peptic ulcer disease. (C-1)
- 5-6.53 Describe the management for peptic ulcer disease. (C-1)
- 5-6.54 Integrate pathophysiological principles and assessment findings to formulate a field impression and implement a treatment plan for the patient with peptic ulcer disease. (C-3)
- 5-6.55 Define bowel obstruction. (C-1)
- 5-6.56 Discuss the pathophysiology of bowel obstruction. (C-1)
- 5-6.57 Recognize the signs and symptoms related to bowel obstruction. (C-1)
- 5-6.58 Describe the management for bowel obstruction. (C-1)
- 5-6.59 Integrate pathophysiological principles and assessment findings to formulate a field impression and implement a treatment plan for the patient with bowel obstruction. (C-3)
- 5-6.60 Define Crohn's disease. (C-1)
- 5-6.61 Discuss the pathophysiology of Crohn's disease. (C-1)
- 5-6.62 Recognize the signs and symptoms related to Crohn's disease. (C-1)
- 5-6.63 Describe the management for Crohn's disease. (C-1)
- 5-6.64 Integrate pathophysiological principles and assessment findings to formulate a field impression and implement a treatment plan for the patient with Crohn's disease. (C-3)
- 5-6.65 Define pancreatitis. (C-1)
- 5-6.66 Discuss the pathophysiology of pancreatitis. (C-1)
- 5-6.67 Recognize the signs and symptoms related to pancreatitis. (C-1)
- 5-6.68 Describe the management for pancreatitis. (C-1)
- 5-6.69 Integrate pathophysiological principles and assessment findings to formulate a field impression and implement a treatment plan for the patient with pancreatitis. (C-3)
- 5-6.70 Define esophageal varices. (C-1)
- 5-6.71 Discuss the pathophysiology of esophageal varices. (C-1)
- 5-6.72 Recognize the signs and symptoms related to esophageal varices. (C-1)
- 5-6.73 Describe the management for esophageal varices. (C-1)
- 5-6.74 Integrate pathophysiological principles and assessment findings to formulate a field impression and implement a treatment plan for the patient with esophageal varices. (C-3)
- 5-6.75 Define hemorrhoids. (C-1)
- 5-6.76 Discuss the pathophysiology of hemorrhoids. (C-1)

United States Department of Transportation

National Highway Traffic Safety Administration

- 5-6.77 Recognize the signs and symptoms related to hemorrhoids. (C-1)
- 5-6.78 Describe the management for hemorrhoids. (C-1)
- 5-6.79 Integrate pathophysiological principles and assessment findings to formulate a field impression and implement a treatment plan for the patient with hemorrhoids. (C-3)
- 5-6.80 Define cholecystitis. (C-1)
- 5-6.81 Discuss the pathophysiology of cholecystitis. (C-1)
- 5-6.82 Recognize the signs and symptoms related to cholecystitis. (C-1)
- 5-6.83 Describe the management for cholecystitis. (C-1)
- 5-6.84 Integrate pathophysiological principles and assessment findings to formulate a field impression and implement a treatment plan for the patient with cholecystitis. (C-3)
- 5-6.85 Define acute hepatitis. (C-1)
- 5-6.86 Discuss the pathophysiology of acute hepatitis. (C-1)
- 5-6.87 Recognize the signs and symptoms related to acute hepatitis. (C-1)
- 5-6.88 Describe the management for acute hepatitis. (C-1)
- 5-6.89 Integrate pathophysiological principles and assessment findings to formulate a field impression and implement a treatment plan for the patient with acute hepatitis. (C-3)
- 5-6.90 Integrate pathophysiological principles of the patient with a gastrointestinal emergency. (C-3)
- 5-6.91 Differentiate between gastrointestinal emergencies based on assessment findings. (C-3)
- 5-6.92 Correlate abnormal findings in the assessment with the clinical significance in the patient with abdominal pain. (C-3)
- 5-6.93 Develop a patient management plan based on field impression in the patient with abdominal pain. (C-3)

AFFECTIVE OBJECTIVES

None identified for this unit.

PSYCHOMOTOR OBJECTIVES

None identified for this unit.

DECLARATIVE

- Ι. Introduction
 - **Epidemiology** Α.
 - Incidence 1.
 - 2. Mortality/ morbidity
 - 3. Risk factors
 - 4. Prevention strategies
- II. General pathophysiology, assessment and management
 - Pathophysiology of abdominal pain Α.
 - Bacterial contamination
 - Perforated appendix a.
 - Pelvic inflammatory disease b.
 - 2. Chemical irritation
 - Perforated ulcer a.
 - b. **Pancreatitis**
 - 3. Types of abdominal pain
 - Somatic pain
 - (1) **Appendicitis**
 - (2)Pancreatitis
 - (3)Perforated viscus
 - Gallbladder (a)
 - (b) Ulcer
 - (c) Intestine
 - h. Visceral pain
 - **Appendicitis** (1)
 - (2) **Pancreatitis**
 - (3)Cholecystitis
 - (4) Obstruction of hollow viscera
 - (a) Intestines
 - (b) Biliary tree
 - Referred pain C.
 - Hemorrhagic abdominal pain d.
 - Non hemorrhagic abdominal pain e.
 - B. Assessment findings
 - Scene size-up 1.
 - a. Scene safety
 - Personal protective equipment (PPE) b.
 - c. General impression
 - Trauma (1)
 - (a) Responsive
 - (b) Unresponsive
 - (2)Medical
 - Responsive (a)
 - (b) Unresponsive
 - 2. Initial assessment
 - Airway a.
 - b. Breathing
 - c. Circulation

United States Department of Transportation National Highway Traffic Safety Administration

- d. Disability
- e. Chief complaint
- 3. Focused history
 - a. Onset
 - b. Provoking factors
 - c. Quality
 - d. Region/ radiation
 - e. Severity
 - f. Time
 - g. Previous history of same event
 - h. Nausea/ vomiting
 - i. Change in bowel habits/ stool
 - (1) Constipation
 - (2) Diarrhea
 - j. Weight loss
 - k. Last meal
 - I. Chest pain
- 4. Focused physical examination
 - a. Appearance
 - b. Posture
 - c. Level of consciousness
 - d. Apparent state of health
 - e. Skin color
 - f. Vital signs
 - g. Inspect abdomen
 - h. Auscultate abdomen
 - i. Percuss abdomen
 - j. Palpate abdomen
 - k. Female abdominal exam
 - Male abdominal exam
- Assessment tools
 - a. Hematocrit
- C. Management/ treatment plan
 - 1. Airway and ventilatory support
 - a. Maintain an open airway
 - b. High flow oxygen
 - 2. Circulatory support
 - a. Electrocardiogram
 - b. Monitor blood pressure
 - 3. Pharmacological interventions
 - a. Consider initiating intravenous line
 - b. Avoid intervention which mask signs and symptoms
 - 4. Non-pharmacological interventions
 - a. Nothing by mouth
 - b. Monitor LOC
 - c. Monitor vital signs
 - d. Position of comfort
 - Transport consideration
 - a. Persistent pain for greater than six hours requires transport
 - b. Gentle but rapid transport

United States Department of Transportation

National Highway Traffic Safety Administration

- 6. Psychological support
 - a. All actions reflect a calm, caring, competent attitude
 - b. Keep patient and significant others informed of your actions
- III. Specific Injuries/ illness
 - A. Upper gastrointestinal bleeding
 - Epidemiology
 - a. Incidence
 - b. Mortality/ morbidity
 - c. Risk factors
 - d. Prevention
 - e. Anatomy and physiology review
 - f. Pathophysiology
 - (1) Lesions
 - (2) Peptic ulceration
 - (3) Erosive gastritis
 - (4) Esophagogastric varices
 - 2. Assessment findings
 - a. History
 - (1) Acute/ chronic
 - (2) Vomiting/ hematemesis
 - (3) Stool/ melena
 - b. Physical
 - (1) Altered level of consciousness
 - (2) Skin
 - (a) Pale
 - (b) Cool
 - (c) Moist
 - (3) Inspect abdomen
 - (a) Scars
 - (b) Ecchymosis
 - (c) Contour

ii)

- i) Bulges
 - Symmetry
- (4) Auscultate
 - (a) Bowel sounds
- (5) Percuss
- (6) Palpate
- c. Assessment tools
 - (1) Hematocrit
- 3. Management
 - a. Airway and ventilatory support
 - (1) High flow oxygen
 - b. Circulatory support
 - (1) Positioning
 - (2) Consider MAST
 - (3) Consider fluid bolus or resuscitation
 - (4) Consider fluid lavage
 - c. Psychological support
 - d. Transport consideration

United States Department of Transportation National Highway Traffic Safety Administration

- В. Lower gastrointestinal bleeding
 - **Epidemiology**
 - Incidence a.
 - Mortality/ morbidity b.
 - Risk factors c.
 - Prevention strategies d.
 - Pathophysiology e.
 - Lesions (1)
 - (2)Anal and rectal lesions
 - Hemorrhoids (a)
 - (b) Anal fissures
 - (c) **Fistulas**
 - (3)Colonic lesions
 - (a) Carcinoma
 - (b) Polyps
 - (4) Diverticula
 - 2. Assessment findings
 - a. History
 - (1) Acute/ chronic
 - (2)Vomiting/ hematemesis
 - (3)Stool/ melena
 - (4) Meal history
 - Chest pain/ "gas pain" (5)
 - Physical b.
 - Altered level of consciousness (1)
 - (2) Skin
 - Pale (a)
 - (b) Cool
 - (c) Moist
 - (3)Inspect abdomen
 - (a) Scars
 - **Ecchymosis**
 - Contour (c)
 - Bulges
 - ii) Symmetry
 - Auscultate (4)

(b)

- (5)Percuss
- (6) Palpate
- Assessment tools c.
 - (1) Hematocrit
- 3. Management
 - a. Airway and ventilatory support
 - (1) High flow oxygen
 - b. Circulatory support
 - Positioning (1)
 - (2)Consider MAST
 - (3) Consider fluid bolus or resuscitation
 - (4) Consider fluid lavage
 - c. Psychological support
 - Transport consideration d.

```
C.
Acute gastroenteritis
        Epidemiology
                Incidence
        a.
                Mortality/ morbidity
        b.
                Risk factors
        c.
                Prevention strategies
        d.
                Anatomy and physiology review
        e.
        f.
                Pathophysiology
                (1)
                        Gastric mucosa
                (2)
                        Inflammatory process
                (3)
                        Pathogenesis
2.
        Assessment
        a.
                History
                (1)
                        Quality of pain
                (2)
                        Onset of pain
                (3)
                        Location of pain
                (4)
                        Blood in the stool
                (5)
                        Epigastric pain
                (6)
                        Nausea
                (7)
                        Vomiting
        b.
                Physical
                        Restless
                (1)
                (2)
                        Skin
                                Pale
                        (a)
                        (b)
                                Cool
                        (c)
                                Moist
                (3)
                        Vital Signs
                        (a)
                                Hypotension
                (4)
                        Abdominal Exam
                        (a)
                                Inspect
                                        Contour
                                i)
                                                Bulges
                                        a)
                                        b)
                                                Symmetry
                                Auscultate
                        (b)
                                Percuss
                        (c)
                        (d)
                                Palpate
        Management
3.
                        Positioning
                (1)
                (2)
                        Airway and ventilatory support
                        (a)
                                Oxygen
                (3)
                        Circulatory support
                                Fluid bolus
                        (a)
                (4)
                        Pharmacological interventions
                (5)
                        Non-pharmacological interventions
```

D. Colitis

> **Epidemiology** 1.

> > Incidence a. b.

(6)

Morbidity/ mortality Risk factors C.

United States Department of Transportation

Transport consideration

National Highway Traffic Safety Administration Paramedic: National Standard Curriculum

d.

Anatomy and physiology review

	e. Pathophysiology			
		(1)	inflammatory bowel disease	
		(2)	inflammatory action of colonic mucosa	
2.	Assess	ment		
	a.	History		
		(1)	Quality of pain	
		(2)	Onset of pain	
		(3)	Location of pain	
		(4)	Bloody diarrhea	
		(5)	Fever	
		(6)	Weight loss	
	b.			
	D.	Physica		
		(1)	Restless	
		(2)	Skin	
			(a) Pale	
			(b) Cool	
			(c) Moist	
			(d) Warm	
		(3)	Fever	
		(4)	Vital signs	
			(a) Hypotension	
		(5)	Abdominal exam	
		` ,	(a) Inspect	
			i) Contour	
			a) Bulges	
			b) Symmetry	
			(b) Auscultate	
			(c) Percuss	
			i) Dull over bladder	
			,	
2	Manag	omont	(d) Palpate	
3.	Manag		Desidentes	
		(1)	Positioning	
		(2)	Airway and ventilatory support	
		(=)	(a) Oxygen	
		(3)	Circulatory support	
			(a) Fluid bolus	
		(4)	Pharmacological interventions	
		(5)	Non-pharmacological interventions	
		(6)	Transport consideration	
Gastro	enteritis			
1.	Causative organisms			
	a.	Rotavirus, Norwalk virus, and many others		
	b.	Parasite	es	
		(1)	Protozoa giardia lamblia	
		(2)	Crypto sporidium parvum	
		(3)	Cyclosporidium cayetensis	
	C.		cted via fecal-oral transmission, contaminated food and water	
	d.		poridium reported to be contracted by swimming in contaminated waters	
2.	Bacteri		Action 10 portion to be contracted by Swiffining III containinated waters	
	<u> </u>	~		

United States Department of Transportation National Highway Traffic Safety Administration

E.

- Escherichia coli
- b. Klebsiella pneumonia
- c. Enterobacter
- d. Campylobacter jejuni
- e. Vibrio cholera
- f. Shigella
 - (1) Not part of normal intestinal flora
- g. Salmonella
 - (1) Not part of normal intestinal flora
- 3. System affected GI system
- 4. Modes of transmission
 - a. Fecal-oral
 - b. Ingestion of infected food or non-potable water
- 5. Susceptibility and resistance
 - a. Travelers into endemic areas are more susceptible
 - Populations in disaster areas, where water supplies are contaminated, are susceptible
 - c. Native populations in endemic areas are generally resistant
- 6. Signs and symptoms nausea, vomiting, fever, abdominal pain and cramping, anorexia, lassitude, and frank shock
 - a. Diarrhea of enteric bacteria different clinical pictures depending on the degree of intestinal invasion
 - b. Chronic gastritis and ulcers with abdominal pain, nausea, and "heartburn" are caused by Helicobacter pylori infection
- 7. Patient management and protective measures
 - a. EMS personnel do not work when ill if your job involves patient contact
 - b. Focused on environmental health and development/ availability of clean water reservoirs, food preparation and sanitation
 - Disaster workers and travelers to endemic areas must be vigilant in knowing the sources of their water supplies or drink hot beverages that have been briskboiled or disinfected
 - d. Health care workers treating gastroenteritis patients must be careful to avoid habits that facilitate fecal-oral/ mucous membrane transmission, observe BSI and effective hand washing
 - e. Selected organisms may be sensitive to antibiotics
 - f. Epidemic treatment is normally symptomatic
- 8. Immunizations are unavailable for many of the enteric bacteria, which are part of the normal intestinal flora
- F. Diverticulitis
 - 1. Epidemiology
 - a. Incidence
 - b. Mortality/ morbidity
 - c. Risk factors
 - d. Prevention strategies
 - e. Anatomy and physiology review
 - f. Pathophysiology
 - (1) Inflammation in or around the diverticula
 - (2) Retention of undigested food residue and bacteria
 - 2. Assessment
 - a. History

United States Department of Transportation National Highway Traffic Safety Administration

(1) Quality of pain (2) Onset of pain (3)Location of pain (4) Dark stool Physical b. Altered level of consciousness (1) (2) Skin (a) Pale (b) Cool (c) Moist (3) Inspect abdomen (a) Scars **Ecchymosis** (b) Contour (c) i) Bulges ii) Symmetry (4) Auscultate (a) Bowel sounds (5) Percuss (6)Palpate Assessment tools C. Hematocrit (1) 3. Management/ treatment plan Airway and ventilatory support a. Oxygen b. Circulatory support Positioning (1) (2) Consider fluid bolus C. Pharmacological interventions d. Non-pharmacological interventions Psychological support e. Transport consideration f. G. **Appendicitis Epidemiology** Incidence a. Mortality/ morbidity b. Risk factors C. Anatomy and physiology review d. Pathophysiology e. (1) Obstruction appendiceal lumen Ulceration of appendiceal mucosa (2) (a) Viral (b) Bacterial 2. Assessment findings History Quality of pain (1) (2) Onset of pain (3)Location of pain (4) Anorexia

Nausea/ vomiting

United States Department of Transportation National Highway Traffic Safety Administration

(5)

For review only. Do not cite, quote, or publish.

Н.

b. Physical (1) Skin Pale (a) (b) Cool (c) Moist (d)Warm (2)Fever (3)Inspect abdomen (a) Scars (b) **Ecchymosis** (c) Contour **Bulges** ii) Symmetry Auscultate (4) (a) Bowel sounds (5) Percuss (6)Palpate 3. Management/ treatment plan Airway and ventilatory support a. Oxygen b. Circulatory support Positioning (1) (2) Consider fluid bolus Pharmacological interventions C. Non-pharmacological interventions d. Psychological support e. Transport consideration f. Peptic ulcer disease **Epidemiology** Incidence a. Mortality/ morbidity b. Risk factors C. Prevention strategies d. Anatomy and physiology review e. Pathophysiology f. Ulcerative disorder (1) (2)Acid-pepsin formation (3) Loss of protective effects Gastric mucosa (a) (b) Bicarbonate ions Prostoglandins (c) 2. Assessment findings History a. (1) Acute/ chronic (2) Quality of pain (3)Onset of pain (4) Location of pain

United States Department of Transportation National Highway Traffic Safety Administration

(5)

(6)

(7)

Last meal

Nausea Stool/ melena

Paramedic: National Standard Curriculum

Medical: 5

Gastroenterology: 6

- (8) Vomiting/ hematemesis
- b. Physical
 - Altered level of consciousness (1)
 - (2) Cardiovascular
 - Hypotension (a)
 - (b) Tachycardia
 - (3)Skin
 - (a) Pale
 - (b) Cool
 - (c) Moist
 - (4) Inspect abdomen
 - (a) Scars
 - **Ecchymosis** (b)
 - Contour (c)
 - i) Bulges
 - Symmetry
 - Auscultate (5)
 - (a) Bowel sounds

ii)

- (6)Percuss
- (7) Palpate
- Assessment tools C.
 - (1) Hematocrit
- 3. Management
 - Airway and ventilatory support a.
 - High flow oxygen (1)
 - Circulatory support b.
 - Positioning (1)
 - (2) Consider fluid bolus or resuscitation
 - c. Pharmacological
 - (1) Antacid
 - (2)H₂ Blockers
 - d. Psychological support
 - Transport consideration e.
- I. **Bowel obstruction**
 - **Epidemiology** 1.
 - Incidence a.
 - Mortality/ morbidity b.
 - Risk factors C.
 - Anatomy and physiology review d.
 - e. Pathophysiology
 - Mechanical (1)
 - Non-mechanical (2)
 - (3)Lesions
 - (4) Obturation of the lumen
 - (5)Small/ large bowel
 - (6)Adhesions
 - Hernias (7)
 - 2. Assessment findings
 - History a.
 - Acute/ chronic (1)

United States Department of Transportation National Highway Traffic Safety Administration

FINAL VERSION Medical: 5 For review only. Do not cite, quote, or publish. Gastroenterology: 6

> (2) Quality of pain/ paroxysms

- (3) Onset of pain
- (4) Location of pain
- (5) Nausea
- Vomiting/ odor/ bile (6)
- Stool/ diarrhea/ unable (7)
- b. Physical
 - (1) Altered level of consciousness
 - (2) Cardiovascular
 - Hypotension (a)
 - (b) Tachycardia
 - Skin (3)
 - Pale (a)
 - Cool (b)
 - (c) Moist
 - (4) Inspect abdomen
 - (a) Scars
 - (b) **Ecchymosis**
 - (c) Contour
 - **Bulges** i)
 - ii) Symmetry
 - Auscultate (5)
 - (a) Bowel sounds/ absent
 - (6)Percuss
 - Palpate (7)
- 3. Management
 - Airway and ventilatory support a.
 - (1) High flow oxygen
 - b. Circulatory support
 - (1) Positioning
 - (2)Consider fluid bolus or resuscitation
 - Psychological support C.
 - Transport consideration d.
- J. Crohn's disease
 - **Epidemiology** 1.
 - Incidence a.
 - b. Mortality/ morbidity
 - Risk factors C.
 - Positive family history same disorder (1)
 - (2)Stress
 - d. Prevention strategies
 - Anatomy and physiology review e.
 - f. Pathophysiology
 - Inflammatory disorder (1)
 - Small bowel (a)
 - (b) Large bowel
 - (2)Increased suppressor T-cell activity
 - (3)Intestinal submucosa
 - (4) Lesions
 - (5)**Fistulas**

2. Assessment findings a. History (1) Acute/ chronic (2) Quality of pain (3) Onset of pain (4)Location of pain (5)"Irritable bowel" (6)Stool/ diarrhea (7) Weight loss b. Physical Skin (1) (a) Pale (b) Cool Moist (c) (2) Inspect abdomen Scars (a) (b) **Ecchymosis** (c) Contour **Bulges** i) ii) Symmetry (3)Auscultate Bowel sounds (a) (4) Percuss (5) Palpate 3. Management a. Airway and ventilatory support High flow oxygen (1) b. Circulatory support (1) Positioning Psychological support c. d. Transport consideration **Pancreatitis** Epidemiology 1. Incidence a. Mortality/ morbidity b. Risk factors C. (1) Gallstones (2) Alcohol d. Prevention strategies e. Anatomy and physiology review 2. Pathophysiology a. Inflammation b. Injury or disruption of pancreatic ducts or acini

Leaked enzymes 3. Assessment findings History a.

Acute/ chronic (1)

(2) Quality of pain

(3) Onset of pain

(4) Location of pain

United States Department of Transportation

National Highway Traffic Safety Administration

Paramedic: National Standard Curriculum

K.

Gastroenterology: 6

- (5) Nausea/ vomiting
- b. Physical
 - (1) Cardiovascular
 - (a) **Hypotension**
 - Tachycardia (b)
 - (2) Lungs
 - Pulmonary edema (a)
 - (3)Skin
 - (a) Pale
 - (b) Cool
 - (c) Moist
 - Edema (4)
 - (5) Inspect abdomen
 - (a) Scars
 - (b) **Ecchymosis**
 - (c) Contour
 - **Bulges** i)
 - ii) Symmetry
 - (6)Auscultate
 - (a) Bowel sounds
 - **Percuss** (7)
 - (8) Palpate
- 4. Management
 - Airway and ventilatory support a.
 - High flow oxygen (1)
 - Circulatory support b.
 - Positioning (1)
 - (2) Fluid bolus
 - C. Psychological support
 - d. Transport considerations
- L. Esophageal varices
 - **Epidemiology**
 - Incidence a.
 - Mortality/ morbidity b.
 - Risk factors C.
 - d. Prevention strategies
 - Anatomy and physiology review e.
 - f. Pathophysiology
 - Portal hypertension (1)
 - (2) Esophagitis with erosion
 - (3) Ingestion caustic substance
 - 2. Assessment findings
 - History a.
 - (1) Acute
 - (2) **Painless**
 - (3)Nausea
 - (4) Vomiting/ hematemesis
 - b. **Physical**
 - (1) Cardiovascular
 - (a) Hypotension

(b)	Tachycardia
Skin	
(a)	Pale
71. 1	0 1

- (b) Cool
- (c) Moist
- 3. Management
 - Airway and ventilatory support a.
 - (1) High flow oxygen
 - (2)Suction
 - b. Circulatory support
 - Positioning (1)
 - Fluid bolus or resuscitation (2)
 - Transport consideration C.
- M. Hemorrhoids
 - 1. **Epidemiology**
 - Incidence a.

(2)

- Mortality/ morbidity b.
- C. Risk factors
- d. Prevention strategies
- Anatomy and physiology review e.
- Pathophysiology f.
 - Internal/ external hemorrhoid (1)
 - (2) Increased portal vein pressure
 - (3) Mucosal surface
 - **Thrombosis** (a)
 - (b) Infection
 - (c) Erosion
- 2. Assessment findings
 - a. History
 - (1) Rectal pain
 - (2)Increased pain with bowel movement
 - (3)Stool/blood
 - Physical b.
- 3. Management
 - Psychological support a.
 - Transport consideration b.
- N. Cholecystitis
 - **Epidemiology**
 - a. Incidence
 - b. Mortality/ morbidity
 - Risk factors c.
 - d. Prevention strategies
 - e. Anatomy and physiology review
 - Pathophysiology f.
 - Gallstones in cystic duct (1)
 - 2. Assessment findings
 - History a.
 - (1) Acute/ chronic
 - (2) Quality of pain
 - (3) Onset of pain

Gastroenterology: 6

- (4) Location of pain
- b. Physical
 - (1) Skin
 - (a) Pale
 - (b) Cool
 - (c) Moist
 - (d) Warm
 - (2) Fever
 - (3)Inspect abdomen
 - Scars (a)
 - (b) **Ecchymosis**
 - Contour (c)
 - Bulges i)
 - ii) Symmetry
 - (4) Auscultate
 - Bowel sounds (a)
 - Percuss (5)
 - (6)**Palpate**
- 3. Management/ treatment plan
 - Pharmacological interventions a.
 - Consider pain medication
 - Transport consideration b.
- Ο. Acute hepatitis
 - Epidemiology 1.
 - Incidence a.
 - Mortality/ morbidity b.
 - C. Risk factors
 - d. Prevention strategies
 - e. Anatomy and physiology review
 - f. Pathophysiology
 - Systemic infection of the liver (1)
 - (2) Types
 - (3) Chronic liver disease
 - (4) Cirrhosis
 - (5) Pathogenesis
 - 2. Assessment findings
 - History a.
 - (1) Acute/ chronic onset
 - (2) Quality of abdominal pain
 - (3)Location of pain
 - (4) Anorexia
 - (5)Nausea
 - Vomiting (6)
 - (7)Fatigue
 - (8) Headache
 - (9)Malaise
 - Photophobia (10)
 - (11)Pharyngitis
 - (12)Cough
 - **Physical** b.

United States Department of Transportation National Highway Traffic Safety Administration

- (1) Skin (a) Warm (b) Rash (2) Fever (3) Inspect abdomen Scars (a) **Ecchymosis** (b) Contour (c) i) Bulges ii) Symmetry Auscultate (4) Bowel sounds (5) Percuss (6) Palpate
- a. Psyc

3.

a. Psychological supportb. Transport consideration

Management

IV. Integration